

FENIX®



FENIX® INNOVATIVE MATERIALS
FOR INTERIOR DESIGN

INNOVATIVE MATERIALS
FOR INTERIOR DESIGN

2024

Distributed by:



FENIX®



INNOVATIVE MATERIALS
FOR INTERIOR DESIGN

CONTENTS

| | |
|----|-----------------------------------|
| 04 | ABOUT FENIX® |
| 05 | FENIX® FEATURES |
| 09 | FENIX NTM® |
| 17 | FENIX NTM® BLOOM |
| 23 | FENIX NTA® |
| 26 | FENIX® SOLID |
| 29 | FENIX® INTEGRATED SOLUTION |
| 36 | ASIA OFFICES |



ABOUT FENIX®

INNOVATIVE MATERIALS FOR INTERIORS. ITALIAN DESIGN SINCE 2013.



APPLICATIONS

Furnishing and Interior Fitting for:

- RESIDENTIAL
- HOSPITALITY
- RETAIL
- OFFICE
- TRANSPORTATION
- EXHIBITION DESIGN

Product of INDUSTRIAL DESIGN

FENIX® are the innovative materials created for interior design by Arpa Industriale. Applying proprietary technologies, the external surface of FENIX® is characterised by the use of next generation acrylic resins; hardened and fixed through an Electron Beam Curing process. With low light reflectivity, FENIX® surfaces are extremely opaque, soft touch and anti-fingerprint. Thermal healing of superficial micro-scratches is also possible.

Three types of materials are available: FENIX NTM®, FENIX NTM® BLOOM, FENIX NTA®.

They are suitable for both vertical and horizontal applications (kitchens, bathrooms, design furniture, retail, offices, and contract).

FEATURES



Low light reflectivity, extremely matt surface



Soft touch




Anti-fingerprint



Thermal healing of superficial micro-scratches

When viewed under a microscope, you can see that the structure of FENIX is like a landscape with uneven peaks and valleys. When light waves hit the surface, the angle of incidence is not the same everywhere. Therefore, light reflects in different directions. This is what makes FENIX matt.





When neutrality means to take a stand instead.

Based on the total quantity of square metres sold monthly, FENIX contributes to the reduction of CO₂ emitted into the atmosphere through carbon offsetting projects. To reach carbon neutrality, everything is measured. From the extraction and transport of the raw materials, through the production of FENIX and, ultimately, their disposal, everything is quantified and certified by a third party. Believing in “do more with less,” we focus on durability and on increasing the bio-based composition of our products, guaranteeing their quality while using less resources.

DISCLAIMER

This document gives general recommendations. This document serves as a general guide to good practice and constitutes no form of warranty or representation as to fitness for purpose in respect of the products and processes described in it. Any information or products contained within this document must be verified and tested for suitability by the user for his or her particular purpose or specific application. Consideration needs to be given to local or specific circumstances. The content of this document reflects our knowledge and experience at the time of publication. The information provided in this document is solely indicative. We are unable to warrant the accuracy and completeness of this information. No rights can be derived from the information provided; the use of the information is at your risk and responsibility. This document does not guarantee any properties of our products. We do not warrant that the information in this document is suitable for the purpose for which you consult it. The document does not contain any design, structural calculation, estimate or other warranty or representation that may be relied on. Colours used in our communications (including but not limited to printed matter) and in samples of our products may differ from the colours of the products to be supplied. Our products and samples are produced within the specified colour tolerances and the colours (of production batches) may differ, even if the same colour is used. The viewing angle also influences the colour perception. Customers and third parties must have a professional adviser inform them about (the suitability of) our

products for all desired applications and about applicable laws and regulations. We reserve the right to change (the specifications for) our products without prior notice. The newest version of the document replaces all previous versions. We advise that the newest version may contain technical changes that must be taken into account when using the products. The latest version of the document may be consulted on our website. You should always check whether an updated version of the document is available. Any warranty on the products may be voided if the (contents of the) latest version of this document, which may be updated from time to time, is not (properly) followed. We have made every effort to ensure the accuracy of the information in this document, but we cannot be held liable for any oversights, inaccuracies or typographical errors. To the maximum extent permitted under the applicable law, we shall not be liable (neither contractual nor non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of willful misconduct or gross negligence on our part. All our oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities are governed by our general terms and conditions. All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by us and/or our licensors. FENIX, FENIX NTM, FENIX NTM Bloom and FENIX NTA are registered trademarks of Arpa Industriale.



MDF Italia, 20.VENTI office desk system
design by 967arch

FENIX^{NTM}[®]


FENIX NTM[®]

FENIX NTM[®]; introduced in 2013, is a technical and aesthetic answer to two interior design trends: smart materials and matt surfaces. Available now in 20 timeless colours for vertical and horizontal applications.

PRODUCT SPECIFICATIONS

| Thickness | ≡ Colour | Type/Core | □ Size |
|-----------|----------------------------------|-----------------------------|---|
| 0.9mm | All FENIX NTM [®] range | Standard | 2440x1220mm/ 3050x1300mm/ 4200x1600mm |
| 1.2mm | All FENIX NTM [®] range | With matched colour core | 3050x1300mm/ 4200x1600mm |

*Please contact the relevant sales personnel for specifications on colour and thickness.




Villa Casa Bianca Bookcase
in 0750 Verde Comodoro




Villa Casa Bianca Dining Table in 0792 Blu Shaba
and 0793 Grigio Aragona

Villa Casa Bianca Coffee Table
in 0754 Blu Fes

FENIX^{NTM}® INDEX




0757 Bianco Dover



0030 Bianco Alaska



0032 Bianco Kos



0029 Bianco Malè



0719 Beige Luxor



0717 Castoro Ottawa


FENIX^{NTM}® INDEX



0748 Beige Arizona



0725 Grigio Efeso



0718 Grigio Londra



0752 Grigio Antrim



0720 Nero Ingo



0724 Grigio Bromo


FENIX^{NTM}® INDEX



0751 Rosso Jaipur



0750 Verde Comodoro



0749 Cacao Orinoco



0754 Blu Fes

FENIX^{NTM}® INDEX



2628 Zinco Doha



2638 Titanio Doha



2629 Bronzo Doha



2630 Piombo Doha



FENIX^{NTM} BLOOM

FENIX NTM[®] BLOOM

FENIX NTM[®] BLOOM; more innovative and more natural raw materials. The extremely matt smart material is enriched with Bloom; a lignin-based technology for the core.

PRODUCT SPECIFICATIONS

| Thickness | ≡ Colour | Type/Core | □ Size |
|-----------|---|------------|-----------------------------|
| 0.7mm | All FENIX NTM [®] BLOOM range | Black core | 3050x1300mm/ 4200x1300mm |

*Please contact the relevant sales personnel for specifications on colour and thickness.

MATERIALISING SUSTAINABILITY.


Sustainability is not something you dream about, but something you do. **It's about acting.** True to this vision, Arpa Industriale has developed **Bloom, a new core technology for FENIX NTM®.**

Environmental impact reduction*

Thanks to its new technology and the increase of natural raw materials, the new FENIX NTM® Bloom products have a greater environmental performance. With this innovation most of the key ingredients originate from the same place: responsibly managed forests.


More natural raw materials

50% of fossil-based phenol is substituted with lignin. Lignin is a natural polymer defined as the glue that holds wood fibres together.



Long live the design

Sustainability is about creating durable products and materials that stand the test of time. With its innovative technology, Bloom adds value to the design objects made out of it. And this is a key factor for environmental responsibility.





0789 Rosso Namib

NEW



0790 Viola Orissa

NEW




0791 Giallo Evora

NEW



0792 Blu Shaba

NEW



0793 Grigio Aragona

NEW



0794 Verde Kitami

NEW



0771 Azzurro Naxos



0770 Rosso Askja



0773 Verde Brac



0772 Giallo Kashmir

FENIX^{NTA}

FENIX NTA[®]



FENIX NTA[®]; an empowered metal surface with FENIX[®] features: visual comfort, soft touch, scratch resistance.

PRODUCT SPECIFICATIONS

| Thickness | ≡ Colour | Type/Core | □ Size |
|-----------|----------------------------------|-----------------------------|-----------------------------|
| 0.7mm | All FENIX NTA [®] range | Standard | 3050x1300mm/ 4200x1300mm |
| 1.2mm | All FENIX NTA [®] range | With matched colour core | 3050x1300mm/ 4200x1300mm |

*Please contact the relevant sales personnel for specifications on colour and thickness.

FENIX^{NTA} INDEX



5000 Acciaio Hamilton



5001 Argento Dukat



5003 Oro Cortez

FENIX®

SOLID

|| Thickness

4.0mm
6.0mm
8.0mm
10.0mm
12.0mm

||| Type/Core

Double-sided with
matched colour core
and double-sided
black core

≡ Colour

0029 0749 0789
0030 0750 0790
0032 0751 0791
0717 0752 0792
0718 0754 0793
0719 0757 0794
0720 0770 2628
0724 0771 2629
0725 0772 2630
0748 0773 2638

□ Size

3050x1300mm/
4200x1600mm

5000 5001 5003

3050x1300mm/
4200x1300mm



SEI Kitchen Worktop in 2628 Zinco Doha





Countertop & FENIX Integrated Kitchen Sink
in 0718 Grigio Londra

PERFORMANCE

A colour matching collection of kitchen sinks representing an elegant and harmonic choice that combines performance with aesthetics.

The sinks are manufactured by Elleci S.p.A. and are made of an exclusive material. This is conceived for sink production and it is a blend of ceramic nanoparticles and six innovative acrylic resins. The special composition makes the sink more resistant to impacts and thermal shocks. Its smooth surface allows a rapid flowing of water and creates a "lotus effect" that ease the cleaning. The UV protection prevents the sink from discolouration effects over time.



Resistant
to impact



Resistant
to thermal
shocks



100% Water
repellent and
stain resistant



Lotus effect



UV protection


KITCHEN SINKS

A solution of integrated sinks designed to match worktops made of FENIX. The sink collection is made of an innovative "matt composite material" that suits FENIX look and feel perfectly: an aesthetic integration among sink, countertop and kitchen design.

Two different solutions: **DROP IN SINK** and **INTEGRATED SINK**.


DROP IN SINK

The sink is inserted in the worktop from above.



INTEGRATED SINK

The sink is inserted from below and is fixed to the worktop in two ways: **undermount** or **flushmount**



SINK KIT

Integrated waste cover
Extra compact rectangular overflow
Siphon

DIMENSIONS

500 x 400 mm bowl
720 x 400 mm bowl

KITCHEN SINKS | COLOURS

With FENIX INTEGRATED SOLUTIONS it is possible to mix and match FENIX worktops with the 14 sink colours.



0032 Bianco Kos

0029 Bianco Malè

0719 Beige Luxor



0748 Beige Arizona

0717 Castoro Ottawa

0751 Rosso Jaipur



0725 Grigio Efeso

0718 Grigio Londra

0749 Cacao Orinoco



0752 Grigio Antrim


0724 Grigio Bromo

0750 Verde Comodoro



0720 Nero Ingo

0754 Blu Fes



HONOURS AND AWARDS

FENIX certifications:

2014 ●
 FENIX^{NTM*} ●
 MaterialPreis
 "First Prize Category" award
 dwell
 on design
 Dwell on Design
 "Best Design Material" award

2015 ●
 FENIX^{NTM*} ●
 NEW PRODUCT AWARD
 Archidex
 "New product" award
 Interzum
 "Best of the Best" award

2016 ●
 FENIX^{NTM*} ●
 Iconic Awards
 "Product Best of the Best"
 ADI Compasso d'Oro
 Honourable Mention


2019 ●
 FENIX^{NTA*} ●
 Red Dot Award
 Product Design
 Interzum
 "High Product Quality" award

2020 ●
 FENIX^{NTM*} ●
 MaterialPreis
 "First Prize Ecology Category" award
 ADI Design Index

2021 ●
 FENIX^{NTM*} ●
 FENIX^{NTM*} ●
 FENIX^{NTM*} ●
 Interzum
 "Best of the Best" award
 Iconic Awards
 "Product Best of the Best"

NSF
 GREENGUARD GOLD
 IMO MED
 (for FENIX NTM FR 0.9 mm and FENIX NTA 0.7 mm)
 SUITABILITY FOR CONTACT WITH FOODSTUFF
 CARBON NEUTRALITY



Distributed by: 

ASIA OFFICES

THAILAND

Formica (Thailand) Co. Ltd.
51/27 Moo 2 Poochaosamingprai Road,
Bangyaparak, Phrapradaeng,
Samutprakarn, 10130 Thailand
Tel: (66-2) 701-9600
Fax: (66-2) 384-7537

Thailand Sales Office

216/65 L.P.N. Tower, 15th Floor
Nanglinchee Road, Chongnonsee,
Yannawa, Bangkok 10120 Thailand
Tel: (66-2) 285-4473
(66-2) 285-4474
Fax: (66-2) 285-2899

Formica Thailand Showroom

128, A Square, Sukumvit 26 Road, Klongton,
Klong Toei, Bangkok 10110 Thailand

VIETNAM

Sales Representative Office
Level 4, 414 Nguyen Thi Minh Khai Street,
District 3, Ho Chi Minh City, Vietnam
Tel: (84-28) 3832 6128
Fax: (84-28) 3832 6129

SINGAPORE

Formica (Singapore) Pte. Ltd.
38 Armenian Street Singapore 179942
Tel: (65) 6514-1313
Fax: (65) 6846-7030

MALAYSIA

Formica (Malaysia) Sdn. Bhd.
B-10-3A, Level 10, Menara Bata,
PJ Trade Centre, No. 8, Jalan PJU 8/8A,
Bandar Damansara Perdana
47820 Petaling Jaya, Selangor D.E, Malaysia
Tel: (60-3) 7710-0512
Fax: (60-3) 7727-0510

INDONESIA

Sales Representative Office
Sovereign Plaza 1st floor unit B,
Jl. TB Simatupang Kav. 36,
Jakarta Selatan 12340, Indonesia
Tel: (62-21) 2960-1551

TH-050100-042023

VIEW OUR
WEBSITE



FOLLOW US



FENIX®

Italian design since 2013

fenixforinteriors.com